

CE Declaration

EC Declaration of Conformity

General Requirements: Herewith it is confirmed, that the product mentioned below meets the requirements of the Mandate M/103, given under the EU Construction Products Directive (89/106/EEC), is subject to a works production control and that the required tests and assessments based on EN 13164 were realized.

Company Name And Address: URSA Italia s.r.l.
Via Uralita 10 - 44012 Bondeno (FE)
Italy

Manufacturer Plant: 8430

Product Names: URSA XPS N-III, URSA XPS N-W, URSA XPS N-V
URSA XPS N-III-PZ, URSA XPS N-VII

Scope: Thermal insulation products for building applications


Company Name And Address of the Approved Body: CSTB, 84, Avenue Jean Jaurés, Marne la Vallée, Cedex 2,
F-77421, France
Number of notified laboratory: 0679

CEDEX, Laboratorio Central de Estructuras, C/ Julián
Camarillo, 30, 28037 Madrid
Number of notified laboratory: 1169

ISÍTUTO GIORDANO S.p.A, Via Rossini 2, 47814 Bellaria
(RM)
Italy
Numero del Laboratorio Notificato: 0407

Company **Manufacturer Plant**

URSA ITALIA srl - STABILIMENTO
Via Uralita, 10 - Z.I. via Copernico/Zerbinate
I-44012 Bondeno (FE)
Tel.: +39 0532 888711 Fax: +39 0532 898297
Partita IVA: 02443550963



Data di emissione 18/10/2011

CE Declaration

EC Declaration of Conformity

Thermal Resistance depend of the Thickness

Thickness mm	20	30	40	50	60	70	80	90	100	120	140	160
Thermal Resistance RD m²·K/W	0,60	0,90	1,20	1,50	1,80	1,95	2,20	2,50	2,80	3,35	3,65	4,20

Designation Code

URSA XPS N-III (30-140 mm)	E-T1-CS(10\Y)300-DS(TH)-DLT(2)5-CC(2\1,5\50)130-WD(V)3-WL(T)0,7-FT2
URSA XPS N-III (160 mm)	E-T1-CS(10\Y)300-DS(TH)-DLT(2)5-CC(2\1,5\50)125-WD(V)3-WL(T)0,7-MU 130-FT2
URSA XPS N-III-PZ	E-T1-CS(10\Y)300-DS(TH)-DLT(2)5-TR(200)
URSA XPS N-W	E-T1-CS(10\Y)250-DS(TH)-DLT(2)5-WL(T)0,7-TR(100)
URSA XPS N-V	E-T1-CS(10\Y)500-DS(TH)-DLT(2)5-CC(2\1,5\50)180-WD(V)3-WL(T)0,7-FT2

Thickness mm	50	60	70	80	100
--------------	----	----	----	----	-----

Thermal Resistance RD m²·K/W	1,35	1,65	1,90	2,15	2,66
--	------	------	------	------	------

Designation Code

URSA XPS N-VII	E-T1-CS(10\Y)700-DS(TH)-DLT(2)5-CC(2\1,5\50)250-WD(V)3-WL(T)0,7-FT2
----------------	---

URSA ITALIA srl - STABILIMENTO
 Via Uralita, 10 - Z.I. via Copernico/Zerbinate
 I-44012 Bondeno (FE)
 Tel.: +39 0532 888711 Fax: +39 0532 898297
 Partita IVA: 02443550963



Data di emissione 18/10/2011